

The background of the entire page is a close-up photograph of an industrial grinding process. A large, red and white robotic arm is visible on the left, with a grinding wheel in contact with a metal workpiece. This contact produces a massive, dense spray of bright orange and yellow sparks that radiate across the frame. The background is a solid, deep blue.

EURO-CUT
ABRASIVES (GB) Ltd



**CATALOGUE &
PRICELIST 2016/17**

Company Overview

You have in your hands our new 2016/17 catalogue, showing our range of Abrasives and Consumable products.

With more than 40 years experience in the Abrasives market, our family run business has been based on strong values, making sure to provide all our customers with the best possible products and service.

We stock over 2000 products, all of which have been manufactured to the highest standards, resulting in quality goods at very competitive prices.

Operating from our large warehouse facility in the centre of the UK, enables us to distribute all our products quickly and efficiently, providing you with a prompt delivery. Also, with all products listed in the catalogue available from stock, we can guarantee you that all orders are same day despatch, 100% complete and can be delivered next day.

Information

Euro-Cut Abrasives (GB) Ltd

211 Torrington Avenue, Units 23-24, Coventry CV4 9GY

Sales

Tel: 02476 463 346

Fax: 02476 463 354

E-Mail: sales@euro-cut.co.uk

Visit: www.euro-cut.co.uk

Hours

Our dedicated sales and despatch team are available from 8am to 5.00pm Monday to Thursday, 8am to 1pm Friday

Minimum/Carriage Charges

There are no minimum order charges.

P&P charge may apply on small orders under £150 net.

Orders received before 4pm will be despatched on a 2-3 day delivery, whilst Next Day and other premium services are available.



INDEX

Bonded Abrasives (cutting & grinding discs)

	discount	page
Stone	%	4
Steel	%	5
Super Thin	%	6
Stainless Steel	%	7
High Speed Steel	%	8
High Speed Stone	%	8
Rail Track	%	8
Aluminium	%	9
Air Tool	%	9

Coated Abrasives (sanding discs, sheets & rolls)

	discount	page
Flap Discs	%	10
Flap Wheels	%	11
Fibre Discs	%	12-14
Semi Flex Discs	%	15
Backing Pads	%	15
Velcro Discs	%	16
Self Adhesive	%	16
Spiral Bands	%	17
Wet & Dry Sheets	%	18
Emery Sheets	%	18
Emery Rolls	%	19
Double Sided Discs	%	20
Sanding Rolls	%	20
Floor Sanding Sheets	%	21
Floor Edger Discs	%	21
Sanding Belts	%	22
Power File Belts	%	23

Other products

	discount	page
Mounted Points	%	24-25
Diamond Saw Blades	%	26-27
Rota Bor Cutters	%	28-29
Wire Cup Brushes	%	30
Wire Wheels	%	30
Also from Euro-Cut	%	31

Stone Cutting & Grinding discs

Bonded, fully reinforced, cutting and grinding discs, manufactured to the highest European standards.

Suitable for working on all types of stone and concrete, also non-ferrous metals i.e. cast iron, copper and brass.



dimensions (mm) product code box qty list each (£)

Depressed Centre Grinding

100 x 6.0 x 16	2251SS	25's	0.62
115 x 6.0 x 22	2252SS	25's	0.65
125 x 6.0 x 22	2253SS	25's	0.86
180 x 6.0 x 22	2254SS	25's	1.30
230 x 6.0 x 22	2255SS	30's	1.78

Depressed Centre Cutting

100 x 3.0 x 16	2256SS	25's	0.51
115 x 3.0 x 22	2257SS	25's	0.59
125 x 3.0 x 22	2258SS	25's	0.68
180 x 3.0 x 22	2259SS	25's	0.97
230 x 3.0 x 22	2260SS	25's	1.11

Flat Centre Cutting

100 x 3.0 x 16	2261SS	25's	0.51
115 x 3.0 x 22	2262SS	25's	0.59
125 x 3.0 x 22	2263SS	25's	0.68
180 x 3.0 x 22	2264SS	25's	0.97
230 x 3.0 x 22	2265SS	25's	1.11
300 x 3.0 x 20	2266SS	25's	1.62
300 x 3.0 x 22	2041C	25's	2.16

Steel Cutting & Grinding discs

Bonded, fully reinforced, cutting and grinding discs, manufactured to the highest European standards.

Suitable for working on all types of steel applications, the grinding disc has a high stock removal, whilst the cutting disc gives a fast, clean and accurate cut, both maintaining a long life.



dimensions (mm) product code box qty list each (£)

Depressed Centre Grinding

100 x 6.0 x 16	2230SM	25's	0.59
115 x 6.0 x 22	2231SM	25's	0.62
125 x 6.0 x 22	2232SM	25's	0.73
180 x 6.0 x 22	2233SM	25's	1.19
230 x 6.0 x 22	2234SM	30's	1.67

Depressed Centre Cutting

100 x 3.0 x 16	2235SM	25's	0.51
115 x 3.0 x 22	2236SM	25's	0.57
125 x 3.0 x 22	2237SM	25's	0.62
180 x 3.0 x 22	2238SM	25's	0.81
230 x 3.0 x 22	2239SM	25's	0.97

Flat Centre Cutting

100 x 3.0 x 16	2240SM	25's	0.51
115 x 3.0 x 22	2241SM	25's	0.57
125 x 3.0 x 22	2242SM	25's	0.62
180 x 3.0 x 22	2243SM	25's	0.81
230 x 3.0 x 22	2244SM	25's	0.97
300 x 3.0 x 20	2245SM	25's	1.51
300 x 3.0 x 22	1103A	25's	2.08

Flat Centre Cutting Chop Saw

355 x 2.8 x 25	2246SM	25's	2.16
-----------------------	--------	------	-------------

Super Thin (Inox) Cutting

Bonded, fully reinforced, cutting off discs, manufactured to the highest European standards.

A specialist wheel for use on all types of steel and stainless steel, in many types of industries i.e. shipbuilding, chemical and nuclear.

These wheels are iron, sulphur and chlorine free to avoid contamination during use i.e. prevention of rust.

Also designed to give a fast, accurate and clean cut, whilst maintaining a long life.



dimensions (mm) product code box qty list each (£)

Flat Centre Cutting

100 x 1.0 x 16	2121SU	50's	1.00
115 x 1.0 x 22	2123SU	50's	1.03
125 x 1.0 x 22	2125SU	50's	1.08

100 x 1.6 x 16	2122SU	50's	1.00
115 x 1.6 x 22	2124SU	50's	1.03
125 x 1.6 x 22	2126SU	50's	1.08
180 x 1.6 x 22	2127SU	50's	1.57

230 x 2.0 x 22	2128SU	50's	2.11
-----------------------	--------	------	-------------

Stainless Steel Cutting & Grinding discs

Bonded, fully reinforced, cutting and grinding discs, manufactured to the highest European standards.

A specialist wheel for use on stainless steel, in many types of industries i.e. shipbuilding, chemical and nuclear.

These wheels are iron, sulphur and chlorine free to avoid contamination during use i.e. prevention of rust.



dimensions (mm) product code box qty list each (£)

Depressed Centre Grinding

100 x 6.0 x 16	1046AC	25's	1.16
115 x 6.0 x 22	1047AC	25's	1.46
125 x 6.0 x 22	1049AC	25's	1.65
180 x 6.0 x 22	1051AC	25's	2.59
230 x 6.0 x 22	1052AC	30's	3.70

Depressed Centre Cutting

100 x 3.0 x 16	1068AC	25's	0.92
115 x 3.0 x 22	1069AC	25's	1.00
125 x 3.0 x 22	1071AC	25's	1.05
180 x 3.0 x 22	1072AC	25's	1.57
230 x 3.0 x 22	1073AC	25's	2.05

Flat Centre Cutting (100m/s)

300 x 3.0 x 20	1122AL	25's	4.05
300 x 3.0 x 25	1122A	25's	4.05
355 x 3.0 x 20	1128BL	25's	5.51
355 x 3.0 x 25	1128B	25's	5.51

Flat Centre Cutting Chop Saw

300 x 2.8 x 25	1126A	25's	4.51
355 x 2.8 x 25	1128A	25's	5.51

High Speed (100m/s) Cutting discs

Bonded, fully reinforced, Professional quality cutting discs, manufactured to the highest European standards.

Suitable for the faster portable tools that run at 100m/s, working on all types of stone, steel and rail applications.

The Rail being a specialist disc for use in all types of rail cutting operations including permanent way and crane rail.

Stone cutting (100m/s)

dimensions (mm)	product code	box qty	list each (£)
Flat Centre Cutting			
350 x 4.0 x 20	2044D	20's	4.46
350 x 4.0 x 25	2044C	20's	4.46
400 x 4.0 x 20	2045D	20's	9.32
400 x 4.0 x 25	2045C	20's	9.32



Steel cutting (100m/s)

dimensions (mm)	product code	box qty	list each (£)
Flat Centre Cutting			
350 x 4.0 x 20	1107B	20's	4.46
350 x 4.0 x 25	1107A	20's	4.46
400 x 4.0 x 20	1107D	20's	7.83
400 x 4.0 x 20	1107C	20's	7.83



Rail cutting (100m/s)

dimensions (mm)	product code	box qty	list each (£)
Flat Centre Cutting			
355 x 4.0 x 25	1108R	20's	5.94
400 x 5.0 x 25	1109R	20's	10.13



Aluminium Cutting & Grinding discs

Bonded, fully reinforced, cutting and grinding discs, suitable for working on all types of aluminium and non-ferrous applications.



dimensions (mm)	product code	box qty	list each (£)
Depressed Centre Grinding			
100 x 6.0 x 16	1038A	25's	1.19
115 x 6.0 x 22	1036A	25's	1.22
125 x 6.0 x 22	1037A	25's	1.30
180 x 6.0 x 22	1039A	25's	2.54
230 x 6.0 x 22	1041A	30's	3.59

Depressed Centre Cutting

100 x 3.0 x 16	1129A	25's	0.86
115 x 3.0 x 22	1130A	25's	0.89
125 x 3.0 x 22	1131A	25's	0.92
180 x 3.0 x 22	1133A	25's	1.32
230 x 3.0 x 22	1135A	25's	1.78

Air Tool Cutting discs

A specialist range for use on all types of steels including cast iron, alloy, aluminium, stainless and non ferrous metals etc.

Designed to run at very high speeds, used on electric die grinders and air tools etc.



dimensions (mm)	product code	box qty	list each (£)
Flat Centre Cutting			
50 x 0.78 x 10	0910A	50's	1.08
50 x 1.58 x 10	0911A	50's	1.08
75 x 0.78 x 10	0912A	50's	1.11
75 x 1.58 x 10	0913A	50's	1.11
100 x 0.78 x 10	0915A	50's	1.19
100 x 1.58 x 10	0916A	50's	1.19

Flap Discs

Euro-Cuts flap discs are by far the best on the market, manufactured to the highest European standards.

The **Zirconium** type are suitable for the sanding and grinding on all types of steels and stainless steel.

The **Ceramic** type has a higher grade of grain with an active additive to guarantee a cool grinding process and a long life. Applications include steels, stainless, titanium, nickel, chrome, brass and bronze.

The **Non-Woven** type are a perfect product for polishing and finishing on steels, stainless, carbon, plastics, glass and alloys.

The **Strip-It** type are used for heavy scrubbing on clogging materials such as paint, rust, grease, oil, varnish and waxes.

ZIRCONIUM Flap Discs (angled & fibreglass backed)

dimensions (mm)	list each (£)	box qty
100 x 16	2.43	10's
115 x 22	2.57	10's
125 x 22	2.97	10's
180 x 22	5.00	10's

Grits available: **36, 40, 60, 80, 120**



CERAMIC Flap Discs (angled & fibreglass backed)

dimensions (mm)	list each (£)	box qty
115 x 22	3.99	10's
125 x 22	5.24	10's
180 x 22	8.83	10's

Grits available: **36, 40, 60, 80**

NON-WOVEN Flap Discs (angled & fibreglass backed)

dimensions (mm)	list each (£)	box qty
115 x 22	2.70	10's

Grades available: **Coarse, Medium, Fine**



STRIP-IT Flap Discs (flat & fibreglass backed)

dimensions (mm)	list each (£)	box qty
115 x 22	4.05	10's

Grades available: **Coarse,**



Shaft Mounted Flap Wheels

Flap wheels are the ideal abrasive tool for the finishing of metal surfaces.

Suitable for surface grinding and finishing in small areas i.e. pipes, cylinders, tanks, on all types of steels.

Flap wheels come on a 6mm shank (3mm also available) and are generally of a aluminium oxide grain.

Other sizes & grits on request.



All flap wheels are boxed in 10's

dimensions (mm)	list each (£)
25 x 15	3.54
25 x 20	3.73
25 x 25	3.81
30 x 10	2.40
30 x 20	2.62
40 x 10	2.51
40 x 20	2.75
40 x 30	3.27
50 x 20	3.16
50 x 30	3.59
60 x 30	3.81
60 x 40	4.37
80 x 30	5.10
80 x 50	6.97

Grits available from stock: **40, 60, 80, 120**

Aluminium Oxide Fibre Discs

All Euro-Cut fibre discs are of the highest European quality, they will grind and sand for long extended periods.

The Aluminium Oxide type is recognized by its Brown colour, comes on a strong backing and is used in a wide range of applications including all steels and wood.

Note: must be used with a backing pad, see page 15.



GRIT size list per 100 (£) box qty

100mm diameter x 16mm bore

16 & 24 grits	43.20	25's
36 & 40 grits	35.37	25's
60 & 80 grits	32.13	25's
100 & 120 grits	30.24	25's

115mm diameter x 22mm bore (slotted)

16 & 24 grits	46.71	25's
36 & 40 grits	39.96	25's
60 & 80 grits	34.83	25's
100 & 120 grits	33.75	25's

125mm diameter x 22mm bore (slotted)

16 & 24 grits	54.27	25's
36 & 40 grits	45.90	25's
60 & 80 grits	41.58	25's
100 & 120 grits	39.42	25's

180mm diameter x 22mm bore (slotted)

16 & 24 grits	90.18	25's
36 & 40 grits	70.20	25's
60 & 80 grits	59.40	25's
100 & 120 grits	56.70	25's

Zirconium Fibre Sanding Discs

All Euro-Cut fibre discs are of the highest European quality, they will grind and sand for long extended periods.

The Zirconium type is recognized by its Blue colour, comes on a strong backing and is used in a wide range of applications including stainless steel and all steels.

Note: must be used with a backing pad, see page 15.



GRIT size list per 100 (£) box qty

100mm diameter x 16mm bore

24 grit	45.90	25's
36 & 40 grits	41.85	25's
60 & 80 grits	39.15	25's
100 & 120 grits	37.26	25's

115mm diameter x 22mm bore (slotted)

24 grit	51.57	25's
36 & 40 grits	48.87	25's
60 & 80 grits	44.01	25's
100 & 120 grits	43.74	25's

125mm diameter x 22mm bore (slotted)

24 grit	59.40	25's
36 & 40 grits	55.35	25's
60 & 80 grits	49.68	25's
100 & 120 grits	49.14	25's

180mm diameter x 22mm bore (slotted)

24 grit	107.73	25's
36 & 40 grits	104.22	25's
60 & 80 grits	93.96	25's
100 & 120 grits	90.99	25's

Ceramic Fibre Sanding Discs

All Euro-Cut fibre discs are of the highest European quality, they will grind and sand for long extended periods.

The Ceramic type is recognized by its Red colour, has a higher grade of grain with active additives to guarantee a cool grinding process and long life.

Applications include all steels, stainless, titanium, nickel, chrome, brass and bronze.

Note: must be used with a backing pad, see page 15.



GRIT size	list per 100 (£)	box qty
115mm diameter x 22mm bore (slotted)		

36 grit	88.91	25's
60 grit	58.76	25's
80 grit	53.84	25's
120 grit	53.84	25's

125mm diameter x 22mm bore (slotted)

36 grit	102.23	25's
60 grit	67.00	25's
80 grit	61.27	25's
120 grit	61.27	25's

180mm diameter x 22mm bore (slotted)

36 grit	202.38	25's
60 grit	129.28	25's
80 grit	117.33	25's
120 grit	117.33	25's

Semi Flexible (silicon carbide sanding discs)

Euro-Cut's Flexi discs are of a very high quality, will grind and sand for long periods, removing large amounts of material.

A fierce disc which comes on a strong backing, has a long life and an excellent performance you can rely on.

For use on all angle grinders, with applications on all types of stone, concrete and steelwork.

Note: must be used with a backing pad, see below.



dimensions (mm)	list each (£)	box qty
same list price applies to all grits		
115 x 22	2.30	10's
125 x 22	2.97	10's
180 x 22	4.32	10's

Grits available: **16, 24, 36, 60, 80, 120**

Backing Pads

Backing pads offer an excellent edge support for fibre, flexi, sticky and velcro sanding discs, to help maximise the discs performance.



dimensions (mm)	list each (£)	box qty
Backing pads for use with FIBRE & SEMI FLEXIBLE discs		
100 x M10	4.86	1's
115 x M14	5.67	1's
125 x M14	6.48	1's
180 x M14	8.64	1's

Backing pads for use with **STICKY** discs

150 x M14	25.64	1's
------------------	--------------	-----

Backing pads for use with **VELCRO** discs

150 x M14	27.00	1's
------------------	--------------	-----

Velcro & Sticky backed sanding discs

Two different types of sanding discs, velcro backed and self adhesive, both are heavy duty discs with rapid stock removal, anti clogging whilst also being quick and easy to change.

Most popular size is 150mm with a plain no holes pattern, 115mm & 125mm sizes available on request, whilst different hole configuration for dust extraction can be made available on request.

Applications include the renovating and sanding of rust, paint and fillers etc, on various surfaces i.e. steels, woods and plastics.

For use on Random Orbital sanders and must be used with a backing pad, see page 15.



STICKY backed discs 150mm

boxed in 100's

Grits	list per 100 (£)
40 grit	37.80
60 grit	36.45
80 grit	35.10
100 grit	34.56
120 grit	34.56
150 grit	34.56
180 grit	34.56
220 grit	34.56
240 grit	34.56
320 grit	34.56
400 grit	34.56

VELCRO backed discs 150mm

boxed in 100's

Grits	list per 100 (£)
40 grit	44.55
60 grit	44.01
80 grit	42.93
100 grit	40.50
120 grit	40.50
150 grit	40.50
180 grit	40.50
220 grit	40.50
240 grit	40.50
320 grit	40.50
400 grit	40.50

Spiral Bands (Zirconium)

Spiral Bands are small rings of abrasive grit, on a cotton backing. Available in high quality Zirconium grain, in a wide range of sizes and grits.

Applications include all steels, stainless, alloys, brass, bronze and fibre glass etc.

All spirals must be used with a rubber holder, which must be of the same dimensions.



all Spiral Bands are list priced and boxed in 100's

all Rubber Holders are list price per 1 and boxed in 5's

Spiral Bands

size (mm) list per 100 (£)

10 x 10	32.40
10 x 20	32.40
13 x 25	32.40
15 x 10	32.40
15 x 30	35.10
19 x 25	37.80
22 x 20	35.10
25 x 25	43.20
30 x 20	37.80
30 x 30	48.60
38 x 25	51.30
45 x 30	59.40
51 x 25	59.40
60 x 30	70.20
75 x 30	86.40
100 x 40	135.00

Rubber Holders

size (mm) list each (£)

10 x 10	5.83
10 x 20	6.67
13 x 25	6.94
15 x 10	6.16
15 x 30	7.86
19 x 25	8.51
22 x 20	8.21
25 x 25	9.23
30 x 20	7.67
30 x 30	9.69
38 x 25	10.64
45 x 30	10.80
51 x 25	11.80
60 x 30	13.15
75 x 30	15.12
100 x 40	18.60

Grits available: 36, 60, 80, 120

Wet & Dry & Emery (sanding sheets)

Our **Wet & Dry** sheets are a hand held waterproof abrasive paper, which can be used on all steels, fibreglass and painted services. Used mainly in the automotive refinishing trade.

Our **Emery** sheets are a hand held aluminum oxide product on a cloth backing for greater flexibility. Ideal for the preparation and finishing of all types of steel surfaces.

Used for rust removal, wrought iron work and painted steel. It also has many applications in the Engineering trade.



dimensions (mm) list per 100 (£) box qty

230mm width x 280mm length **WET & DRY** sheets

60, 80, 100 grit	63.45	50's
120, 150, 180 grit	59.10	50's
220, 240, 280 grit	56.70	50's
320, 360, 400 grit	56.70	50's
500, 600, 800 grit	56.70	50's
1000, 1200 grit	56.70	50's

230mm width x 280mm length **EMERY** sheets

40 grit	89.99	50's
60 grit	78.60	50's
80 grit	73.36	50's
100 grit	73.36	50's
120 grit	73.36	50's
150 grit	73.36	50's

Emery Rolls

Emery sanding rolls are also known in the trade as shop rolls, are of a high quality grain (aluminium oxide), on a very flexible cloth backing.

Can be cut to required lengths and used in manual applications on all types of steelwork, leather and plastics.



GRIT size list each (£) box qty

25mm width x 50mtrs length EMERY ROLLS (shop roll)

40 grit	40.34	1's
60 grit	36.72	1's
80, 100, 120 grit	35.91	1's
150, 180, 240, 320 grit	33.91	1's

50mm width x 50mtrs length EMERY ROLLS (shop roll)

40 grit	65.83	1's
60 grit	58.67	1's
80, 100, 120 grit	56.70	1's
150, 180, 240, 320 grit	54.00	1's

Double Sided Sanding Discs

All Euro-Cut double faced sanding discs are fully resin bonded silicon carbide, manufactured to a very high European standard.

Used for roughing through to finishing on all kinds of woods and concrete floors and have a high durability for use on rotary floor sanding machines.

Note: boxed in 50's, they are inner packed in 10's, so they can be purchased in 10's.



Grit size list each (£) box qty

430mm diameter Silicon Carbide (double face)

16 grit	6.48	50's
24 grit	6.21	50's
36 grit	5.94	50's
60 grit	5.67	50's
120 grit	5.40	50's

Paper Sanding Rolls

All Euro-Cut paper rolls are of a aluminium oxide, used for applications in which portable sanding belts cannot be used for technical or economic reasons.

Designed for tear off hand use or can be used on orbital sanders. Applications include the sanding of wood, steel and fiberglass etc.



Grit size list each (£) box qty

115mm width x 50mtrs length Sanding Rolls

40 grit	57.24	1's
60 grit	46.44	1's
80, 100, 120, 150 grit	41.18	1's
180, 240, 320, 400 grit	41.18	1's

Floor Sanding Sheets

All Euro-Cut's floor sanding sheets are made from the highest quality Silicon Carbide grit, on a very flexible heavy duty backing.

Applications include the sanding and renovating of all types of stone and wood, used on floor machines such as the Hire Tech and Clark machines.



dimensions (mm) list per 100 (£) box qty
205mm width x 475mm length **Floor Sheets** (Silicon Carbide)

24 open coat grit	126.90	50's
24 grit	124.90	50's
36 grit	102.60	50's
40 grit	89.10	50's
60 grit	71.55	50's
80 grit	63.45	50's
100 & 120 grits	60.75	50's
Paper Dust Bags	89.10	50's

Floor Edging Sanding Discs

Euro-Cut's Edging discs are of a very good quality and will sand for long periods, removing large amounts of material, recognisable by its red-brown colour.

Applications include the renovating and sanding of stone and wooden floors, great for getting into those difficult to reach areas.



dimensions (mm) list per 100 (£) box qty
180mm diameter x 22mm bore **Edging Discs** (Aluminium Oxide)

24 grit	90.18	25's
36 & 40 grits	70.20	25's
60 & 80 grits	59.40	25's
100 & 120 grits	56.70	25's
Paper Dust Bags	121.50	50's

Portable Machine Belts

Euro-Cut's portable sanding belts are made from the best Aluminium Oxide grit, on a cloth backing.

Applications include the sanding of metalwork, wood, plastic and painted surfaces.



Other types & sizes made to order

width x length (mm) list per 10 (£) box qty
same list price applies to all grits on each belt size

75 x 457	12.96	10's
75 x 480	14.04	10's
75 x 510	14.85	10's
75 x 533	15.66	10's
75 x 610	16.47	10's
100 x 560	17.55	10's
100 x 610	18.36	10's
100 x 915	40.99	10's

Grits available: 24, 36, 40, 60, 80, 100, 120

Fixed Machine Belts

Euro-Cut's fixed machine sanding belts are made from the best quality Zirconium grit, on a cloth backing.

Applications include stainless, aluminium and alloyed steels.



Other types & sizes made to order

width x length (mm) list per 10 (£) box qty
75mm x 2000mm (Zirconium) sanding belts

24 grit	85.05	10's
36 grit	52.46	10's
60 grit	47.06	10's
80 grit	44.06	10's
100 & 120 grits	43.20	10's

Powerfile Machine Belts

Euro-Cut's powerfile sanding belts are made from the best Aluminium Oxide & Zirconium grits, on a cloth backing.

The **Aluminium Oxide** type are suitable for grinding and cleaning of all types of steels, nonferrous metals and wood.

The **Zirconium** type has a higher grade of grain, suitable for grinding and cleaning of stainless, aluminium and alloys.



ALUMINIUM OXIDE power file belts

width x length (mm) list per 10 (£)

6 x 610	40 grit	7.03
6 x 610	60 grit	6.66
6 x 610	80 grit	6.66
6 x 610	120 grit	6.66

9 x 533	40 grit	10.36
9 x 533	60 grit	9.99
9 x 533	80 grit	9.62
9 x 533	120 grit	9.62

10 x 330	40 grit	8.88
10 x 330	60 grit	7.03
10 x 330	80 grit	7.03
10 x 330	120 grit	7.02

13 x 610	40 grit	14.85
13 x 610	60 grit	14.40
13 x 610	80 grit	13.50
13 x 610	120 grit	12.15

13 x 533	40 grit	13.95
13 x 533	60 grit	13.05
13 x 533	80 grit	12.15
13 x 533	120 grit	11.70

13 x 457	40 grit	13.05
13 x 457	60 grit	12.60
13 x 457	80 grit	11.70
13 x 457	120 grit	10.80

ZIRCONIUM power file belts

width x length (mm) list per 10 (£)

6 x 610	40 grit	8.51
6 x 610	60 grit	8.51
6 x 610	80 grit	8.14
6 x 610	120 grit	8.14

9 x 533	40 grit	12.95
9 x 533	60 grit	12.58
9 x 533	80 grit	12.58
9 x 533	120 grit	12.21

10 x 330	40 grit	12.21
10 x 330	60 grit	11.84
10 x 330	80 grit	11.84
10 x 330	120 grit	11.84

13 x 610	40 grit	18.55
13 x 610	60 grit	18.10
13 x 610	80 grit	17.20
13 x 610	120 grit	16.75

13 x 533	40 grit	16.75
13 x 533	60 grit	15.85
13 x 533	80 grit	14.95
13 x 533	120 grit	14.50

13 x 457	40 grit	15.40
13 x 457	60 grit	14.95
13 x 457	80 grit	14.05
13 x 457	120 grit	13.65

Mounted Points

Mounted Points, pink in colour, are made from a special aluminium oxide grain.

They come in many different shapes and sizes, designed for a wide range of de-burring and finishing applications and provide a consistent performance without vibration.

They are best suited for machining all types of steels including alloyed steel, cast iron, unhardened steel and stainless steel.

type	list each (£)	type	list each (£)
“A” TYPE (6mm shank)		“B” TYPE (3mm shank)	
A1	1.65	B41	1.35
A2	1.46	B42	1.35
A3	1.67	B44	1.35
A3s	1.49	B46	1.35
A4	1.51	B52	1.35
A5	1.43	B53	1.35
A11	1.57	B62	1.35
A12	1.46	B71	1.35
A13	1.65	B81	1.35
A14	1.49	B91	1.35
A15	1.43	B92	1.35
A21	1.49	B97	1.35
A23	1.35	B98	1.35
A24	1.43	B101	1.35
A25	1.49	B103	1.35
A26	1.32	B104	1.35
A31	1.49	B121	1.35
A32	1.35	B122	1.35
A33	1.35	B123	1.35
A34	1.40	B131	1.35
A35	1.35	B132	1.35
A36	1.43	B133	1.35
A37	1.35	B135	1.35
A38	1.43		
A39	1.35		

type list each (£)

“W” TYPE (3mm shank)

W135	1.27
W144	1.27
W145	1.27
W146	1.27
W152	1.27
W153	1.27
W154	1.27
W160	1.27
W162	1.27
W163	1.27
W164	1.27
W175	1.27
W176	1.27
W182	1.27



type list each (£)

“W” TYPE (6mm shank)

W177	1.35
W178	1.35
W179	1.35
W185	1.35
W186	1.35
W187	1.35
W188	1.35
W189	1.35
W196	1.35
W197	1.35
W200	1.24
W201	1.24
W203	1.24
W204	1.27
W205	1.27
W207	1.32
W208	1.38
W215	1.27
W216	1.27
W218	1.27
W220	1.38
W222	1.49
W226	1.32
W227	1.32
W228	1.38
W230	1.49
W232	1.62
W236	1.38
W242	1.70

Diamond Tipped Saw Blades

Euro-Cut's range of Diamond Blades are of the highest quality, combining a fast cut, efficiency and safety, earning high respect in the industry.

Concrete & General Purpose

Our Concrete & General Purpose blade is a fantastic value for money option, suitable for use on all types of building materials including concrete, bricks, slabs and roofing tiles etc.

for use on: hand held machines



dimensions (mm)	list each (£)	box qty
115 x 22	5.40	1's
125 x 22	6.48	1's
230 x 22	21.57	1's
300 x 20	47.25	1's

Premium CUT-ALL

Our Cut-All is a premium blade guaranteed to cut all building and construction products.

It will cut all types of stone, concrete, clay, marble, granite, bricks, blocks, slabs, paving and tiles.

The blade has special constructed prolonged protection teeth, which protects the blade from undercutting and thus the core of the blade becoming damaged.

for use on: hand held machines



dimensions (mm)	list each (£)	box qty
230 x 22	62.10	1's
300 x 20	118.80	1's
350 x 20/22	148.50	1's

Professional Concrete

Our Professional range is aimed at the more intensive and vigorous usage and is ideal for continued cutting on one type of material for long periods.

Double laser welded with a high quality diamond, a guaranteed performance in terms of speed of cut, blade life and cost per cut.

Applications include all concrete materials, including reinforced.

for use on: floor saw & hand held machines

dimensions (mm)	list each (£)	box qty
300 x 20	130.41	1's
350 x 20/25	158.36	1's
400 x 20/25	300.24	1's
450 x 25	279.45	1's

Premium Asphalt & Tarmac

Our Asphalt Black is one of the best on the market, applications include asphalt, tarmac, green concrete, and also some of your more abrasive materials such as breeze blocks, chalk, plaster etc.

for use on: floor saw & hand held machines



dimensions (mm)	list each (£)	box qty
300 x 20	139.62	1's
350 x 20/25	176.99	1's
450 x 25	288.77	1's

Professional Duo

Our Pro Duo blade is our all singing and all dancing blade, suitable for concrete and asphalt & tarmac, a blade that covers all building materials.

for use on: floor saw & hand held machines

dimensions (mm)	list each (£)	box qty
300 x 20	210.60	1's
350 x 20/25	296.06	1's
400 x 20/25	267.30	1's
450 x 25	350.00	1's

Rota Bor Cutters

Euro-Cut's premium range of high speed Rota Bors are proven in their daily use in many kinds of applications. Their unique geometry helps to achieve a faster feed, a lower cutting resistance, greater accuracy and a better finish.

Available in two standard cutting depths, 25mm (short reach) and 50mm (long reach), in diameters of 10mm to 40mm in 1mm increments and are designed for use on electro-magnetic drilling machines.

Note: larger diameter and longer cutters can be made to order

size list each (£)

size list each (£)

SHORT REACH (25mm cutting depth)

10mm	17.42
12mm	17.42
13mm	17.42
14mm	17.42
15mm	17.79
16mm	18.17
17mm	18.55
18mm	18.93
19mm	19.17
20mm	19.68
21mm	20.41
22mm	20.93
23mm	21.44
24mm	21.92
25mm	22.44
26mm	22.95
27mm	23.44
28mm	23.95
29mm	24.46
30mm	24.95

31mm	29.21
32mm	30.73
33mm	31.75
34mm	35.78
35mm	38.80
36mm	40.80
37mm	41.80
38mm	42.31
39mm	43.31
40mm	44.82
Pins	8.56





size list each (£)

size list each (£)

LONG REACH (50mm cutting depth)

10mm	23.73
12mm	23.73
13mm	23.73
14mm	23.73
15mm	23.98
16mm	25.25
17mm	26.00
18mm	27.00
19mm	27.76
20mm	28.76
21mm	29.75
22mm	30.27
23mm	30.78
24mm	31.54
25mm	32.02
26mm	32.78
27mm	33.80
28mm	35.48
29mm	36.32
30mm	37.31

31mm	38.31
32mm	41.34
33mm	42.34
34mm	44.60
35mm	46.68
36mm	47.87
37mm	48.63
38mm	48.84
39mm	50.14
40mm	52.41
Pins	11.07

30mm Countersink	65.00
50mm Countersink	79.00

Cut & Tap Oil	7.29
---------------	-------------

Wire Cup Brushes

Euro-Cut's wire cup brushes come in Crimped and Twist Knot, both for use on portable angle grinders.

The **Crimped** wire cup cleans surfaces with less aggressive action than the twist knot cup, applications include cleaning and removal of paint and oxides on most materials, including metal, stone and concrete.

The **Twist Knot** give an extremely aggressive action, applications include the removal of paint, enamel, scale and corrosion and the cleaning of weld seams and spot welds on most materials such as metal, stone and concrete

Crimped Cup Brushes

dimensions	list each (£)	box qty
75mm x M10	8.10	1's
75mm x M14	8.10	1's
90mm x M14	10.80	1's
125mm x M14	16.15	1's



Twist Knot Cup Brushes

dimensions	list each (£)	box qty
65mm x M10	10.80	1's
75mm x M14	13.50	1's
100mm x M14	22.01	1's
120mm x M14	24.30	1's



Twist Knot Wire Wheels

Euro-Cut's wire wheels are for use with fixed or hand held machines. Used for the removal of paint and hard scale rust, adhesive, rubber flashing and for cleaning welds on metal, can also be used on stone and concrete.

dimensions	list each (£)	box qty
100mm x 16mm	16.20	1's
110mm x 22mm	17.55	1's
125mm x 22mm	20.25	1's
150mm x 22mm	23.25	1's
200mm x 22mm	31.05	1's
300mm x 20/25mm	54.00	1's



Euro-Cut stock many more products



Bench Grinding Wheels



Floor Grinding Blocks



Stone Cup Grinding Wheels



Surface Conditioning



Wire Wool



Line Marker Paint

**for further details give us a call ...
tel: 02476 463 346**



Euro~Cut Abrasives

First for all your abrasive products

Euro - Cut Abrasives (GB) Ltd

211 Torrington Avenue

Units 23 - 24, Coventry CV4 9GY

tel: 024 7646 3346 fax: 024 7646 3354

email: sales@euro-cut.co.uk

www.euro-cut.co.uk

